



METRIE EL & EL  
SIMPSON WOOD DOOR COLLECTION



@habetinhomes

## Builder's Advantage®

1-3/4" Douglas Fir Doors  
3'0" x 6'8" with 3/4" Flat Panel.



**FO6366 | Portsmouth®**  
3/4" Black, Insulated Glass

## Bungalow Series®

1-3/4" Douglas Fir Doors  
3'0" x 6'8" with 1-7/16" Innerbond®  
Raised Panel  
3/4" TDL Clear Glass

Doors come with UltraBlock®  
technology – 5 Year warranty



**FO7218**  
3/4" Insulated Glass



**FO7228**  
3/4" Insulated Glass

## Craftsman Collection

1-3/4" Douglas Fir,  
3/4" Flat Panel Shaker Doors


3/4" SDL Insulated Glass  
Shaker Sidelights 1'2" x 6'8½"

1-3/4" Raised Panel Ovolo Doors:  
w/1-7/16" Innerbond® Raised Panel,  
3/4" Insulated Glass  
Ovolo Sidelights 1'2" x 6'8½"


Doors come with UltraBlock®  
technology – 5 Year warranty



**9541 | Dentil Shelf**



**FS36803FP | Shaker**  
3/4" Clear Insulated Glass



**FS7662FP | Shaker**  
3/4" Flat Panel,  
3/4" Insulated Glass



**FS7663FP | Shaker**  
3/4" Flat Panel,  
3/4" Insulated Glass




**FO7662RP | Ovolo**  
1-7/16" Innerbond® Raised  
Panel,  
3/4" Insulated Glass



**FO7663RP | Ovolo**  
1-7/16" Innerbond® Raised  
Panel,  
3/4" Insulated Glass

## Traditional Collection

1-3/4" Douglas Fir,  
Raised Panel Doors  
3/4" TDL Clear Glass



**FO7344**  
1-7/16" Innerbond® Raised  
Panel



**FO7081 | Ovolo**  
3/4" Flat Panel,  
3/4" Insulated Glass



**FO7130**  
1-7/16" Innerbond® Raised Panel



**FO7132 | Ovolo**  
1-7/16" Innerbond® Raised  
Panel, 3/4" Insulated Glass



**FO7134 | Ovolo**  
1-7/16" Innerbond® Raised  
Panel, 3/4" Insulated Glass



**FO7703 | Ovolo**  
1-7/16" Innerbond®  
Raised Panel,  
3/4" Insulated Glass

# Exterior Contemporary Collection

1-3/4" Fir Select Doors and Sidelites  
 3/4" Insulated Glass, available in Clear,  
 Low-E, White Lami and Rain



**4972**  
**6'8", 8'0"**  
 1-3/4"



**4973 | Shaker**  
**6'8" & 8'0"**  
 3/4" Insulated Glass



**4974L | Shaker**  
**6'8" & 8'0"**  
 1-3/4", 3/4" Insulated Glass



**4974R | Shaker**  
**6'8" & 8'0"**  
 1-3/4", 3/4" Insulated Glass



**F7403 | Shaker**  
**6'8"**  
 1-3/4", 3/4" Insulated Glass



**F7813 | Shaker**  
**6'8"**  
 3/4" Insulated Glass



**F7405 | Shaker**  
**6'8"**  
 1-3/4", 3/4" Insulated Glass



**F7403 | Shaker**  
**8'0"**  
 1-3/4", 3/4" Insulated Glass



**F7813 | Shaker**  
**8'0"**  
 3/4" Insulated Glass



**F7406 | Shaker**  
**8'0"**  
 1-3/4", 3/4" Insulated Glass



**F7816 | Shaker**  
**8'0"**  
 3/4" Insulated Glass

# Mastermark® Collection

Douglas Fir, 1-3/4" thick,  
Doors 3'0" x 6'8" with 1-7/16" Innerbond®  
Raised Panel,  
Sidelights 1'2" x 6'8½",  
unless otherwise noted

Doors come with UltraBlock® technology –  
5 Year warranty



**FO6490 | Santa Fe**  
3/4" Wrought Iron Insulated  
Glass



**FO6493**  
3/4" Wrought Iron  
Insulated Glass




**FO7598 | Bellaire®  
Ovolo**  
3/4" Beveled Insulated Glass



**FO7599 | Ovolo**  
3/4" Beveled Insulated  
Glass

## Exterior French & Sash Doors

With WaterBarrier® and UltraBlock® Technologies –  
5 Year warranty, no building overhang required.



**FO7002WBLE | Ovolo  
6'8"**  
WaterBarrier® Technology,  
3/4" Insulated Glass with Low-E




**FO37010WBLE | Ovolo  
6'8"**  
WaterBarrier Technology,  
3/4" Insulated Glass with Low-E



**FO37705WBLE | Ovolo  
6'8"**  
WaterBarrier Technology,  
3/4" Insulated Glass with Low-E

### WaterBarrier® Technology (Patent Pending)

PVC glazing bead and SDL bars  
on exterior side  
Primed Medium Density  
Overlay for flat surfaces  
Wood bars on  
interior side



### Weather Seal™ Process

Entire stile-and-rail joints coated and bonded to  
decrease the possibility of water infiltration

### UltraBlock® Technology

Composite block material finger-jointed  
into the bottom of the stiles

Exclusive Weather Seal™ Process

UltraBlock® Technology

# Exterior French & Sash Doors (continued)

Standard Douglas Fir,  
1-3/4" thick, Ovolo and  
Shaker Sticking as noted,  
Single Glazed & Insulated  
Glass as noted.



**FO2035 | Ovolo**  
3/4" Raised Panel,  
1/8" Clear Single Glazed



**FO1510C | Ovolo**  
1/8" Clear  
Single Glazed,



**FO1705C | Ovolo**  
1/8" Clear  
Single Glazed



**FO7015 | Ovolo**  
3/4" Clear Insulated Glass  
with UltraBlock® Technology



**FO7705 | Ovolo**  
3/4" Clear  
Insulated Glass



**FO7010 | Ovolo**  
3/4" Clear Insulated Glass  
with UltraBlock® Technology



**FO1501 | Ovolo**  
1-3/4" x 6'8"  
1/8" Single Glazed



**FO1501 | Ovolo**  
8'0"  
1/8" Single Glazed



**FO7001**  
3/4" IG with UltraBlock®  
Technology



**FO7701**  
3/4" IG with  
UltraBlock® Technology



**FS7002LE | Shaker**  
8'0"  
3/4" IG with Low-E and  
UltraBlock® Technology



**FO7002LE | Ovolo**  
3/4" IG with Low-E and  
UltraBlock® Technology



**FO7701LE | Ovolo**  
3/4" IG Low-E with  
UltraBlock® Technology

## Commercial French

1-3/4" thick,  
Door Width: 3'0"  
Heights: 6'8", 7'0", 8'0"  
1/8" Single Glazed

5-1/2" Stiles  
5-7/16" Top Rail  
11-3/16" Bottom Rail



**CO1501C | Ovolo**  
6'8"  
1/8" Single Glazed



**CO1501C | Ovolo**  
7'0"  
1/8" Single Glazed



**CO1501C | Ovolo**  
8'0"  
1/8" Single Glazed

## ADA French

1-3/4" thick,  
Door Width: 3'0"  
Heights: 6'8", 7'0", 8'0"  
3/4" Insulated Glass

5-1/2" Stiles  
6-7/16" Top Rail  
11-3/16" Bottom Rail

Available in both Ovolo &  
Shaker style  
Doors come with UltraBlock®  
technology – 5 Year warranty



**7002LEADA**  
6'8" 7'0" 8'0"  
3/4" Insulated Glass



**METRIE**

EL & EL Wood Products

## Fir Interior Raised Panel Doors

Standard Douglas Fir, 1-3/8" thick,  
4-1/2" Stiles (Include 3/8" ovolo sticking)

\*20-Min Fire Doors:

Standard Douglas Fir, 1-3/4" thick,  
5-1/2" Stiles (Include 3/8" ovolo sticking)



**FO44R**  
3/4" Raised Panel



**FO55R**  
3/4" Raised Panel



**FO66R**  
3/4" Raised Panel



**FO465R**  
3/4" Raised Panel

## Fir Interior Shaker Doors

Standard Douglas Fir, 1-3/8" thick,  
4-7/16" Shaker Stiles with 3/8" Panels

\*20 Min Fire Doors:

Standard Douglas Fir, 1-3/4" Door  
5-7/16" Stiles with 3/4" Panels



**FSSH1**  
3/8" Flat Panel



**FSSH2**  
3/8" Flat Panel



**FSSH3**  
3/8" Flat Panel

## Fir Interior Shaker Doors

Standard Douglas Fir, 1-3/8" thick,  
4-1/2" (Include 3/8" ovolo sticking)  
Ovolo stiles with 3/8" Panels

\*20 Min Fire Doors:

Standard Douglas Fir, 1-3/4", 5-7/16" Stiles,  
and 3/4" Panels

\*\*Available in both Square or Ovolo Sticking



**FOSP1**  
3/8" Flat Panel



**FOSP2**  
3/8" Flat Panel



**FOSP3E**  
3/8" Flat Panel

## Shaker Bifolds

Standard Douglas Fir, 1-3/8" thick

701 & 702 Available in both Square or Ovolo or Sticking



**701BI | Bifold Square or Ovolo**  
1/2" Flat Panel

**702BI | Bifold Square or Ovolo**  
1/2" Flat Panel

**FOSH3EBI | Bifold Ovolo Sticking**  
3/8" Flat Panel

**FS700BI | Bifold Square Sticking**  
1/2" Flat Panel

## Raised Panel Bifolds

Standard Douglas Fir, 1-3/8" thick



**FO43RBI | Bifold**  
3/4" Raised Panel

**FO63RBI | Bifold**  
3/4" Raised Panel

## Redi-Prime® Interior

Primed, 1-3/8" thick, Single Glazed Compression Clear TDL Glass



**PO8001 | Ovolo**  
1/8" Single Glazed


**PO8010 | Ovolo**  
1/8" Single Glazed

**PO8001 | Ovolo**  
8'0"  
1/8" Single Glazed

**PO8012 | Ovolo**  
8'0"  
1/8" Single Glazed

## Fir Interior French Panel Doors

Douglas Fir, 1-3/8" thick Single Glazed Glass, unless otherwise noted



**FO1310 | Ovolo**  
1/8" Clear Single Glazed

**FS1501C | Shaker**  
1/8" Clear Single Glazed

**FS1501WL | Shaker**  
1/4" White Lami Glass

**FS1501C | Shaker**  
8'0"  
1/8" Clear Single Glazed

## Interior Contemporary Collection

Fir Select



**FS1605WL | Shaker**  
1-3/8" White Lami



**METRIE**

EL & EL Wood Products



# METRIE EL & EL

Moulding | Doors | Commercial | Jambes & Frames

## Moulding & More

**Ultralight MDF Mouldings & Boards**

**Domestic LDF Mouldings, Boards & T&G**

**Solid & Primed FJ Pine Mouldings**

**Redwood & VG Fir Mouldings**

**Hardwood Mouldings**

(Cherry, Maple, Mahogany, Superior & Knotty Alder, Poplar, Oak, Walnut)

**ValuFlex® Flexible Moulding**

(Manufactured at Metrie EL & EL)

**Bodyguard® Protected Exterior Trimboard & Siding**

**MiraTEC® & Extira® Treated Exterior Composite Trim & Shutter Board**

**Interior & Exterior Door Jambes & Frames**

(Primed FJ & Solid Pine, Poplar, Engineered FG & VG Fir, Oak, Cherry, Alder, Mahogany, Composite)

**Weatherstrip, Flashing & Shims**

## Columns & Accessories

**HB&G® Columns & Porch Systems**

**Fypon® Polyurethane Beams & Accessories**  
(Raw & Prefinished)

**Accessories**

(Plinth Blocks, Rosettes, Base Corners)

**Majestic Mantels®** (Assembled at Metrie EL & EL)

Pre-built Shelves, Surrounds & Pilaster Kits

**Built-Up Pocket Door Frames**

(Assembled at Metrie EL & EL)

**Boxed Pocket Door Frames**

(coxUSA & Johnson Hardware)

**Eclisse® Steel Pocket Door Systems**

(Boxed)

**Closet Material**

(Shelving, Brackets, Poles, Edge Banding)

## Doors – Interior & Exterior

(Pre-hanging Available)

**Knotty Alder Doors**

**Masonite® Clear & Knotty Pine Doors**

**Primed MDF, Clear Pine Louver Doors & Bifolds**

**Masonite® Solid Core Hardboard Doors**

**Masonite® Moulded Panel Doors & Bifolds**

**Masonite® Fiberglass & Steel Exterior Doors**  
(Pre-hanging & Pre-finishing available)

**Simpson® Interior & Exterior Doors**

**Shaker Doors & Bifolds**  
(Primed, VG Fir & Alder)

**Trimlite® Decorative Glass**

**Barn Doors**

(Knotty Alder, Knotty Pine & Primed MDF)

**Barn Door Hardware**

(Rustic & Stainless Steel)

**CoxUSA® Hardware Components**

**Commercial & Architectural Doors**

**RediFrame® & RediFlex® Steel Frames**

**Hollow Metal Doors & Frames**

**Lites & Louvers**

**ARAUCO**

**ValuFlex®**

**ECLISSE®**  
SLIDING POCKET DOOR SYSTEMS

**MIRATEC®**

**REDIFRAME®**

**TRIMLITE®**

**MAJESTIC Mantels®**

**HB&G**

**FYPON**

**BODYGUARD®**  
WOOD PRODUCTS

**MASONITE®**  
DOORS THAT DO MORE.

**Simpson®**  
Door Company

**COXUSA**

**MASISA**

**Lynden Door**

UNPARALLELED SERVICE

NEXT DAY DELIVERY

INNOVATIVE SELECTION

EASY ORDERING



**METRIE**  
EL & EL Wood Products